

# NTHP7.2 & NTHP10 24V

## Linear led, discret pixel

Project :	Date :
Cat No. :	Type:
Notes:	Volts:

#### Applications:

NTHP7.2 & NTHP10 linear source consists of a high efficiency style neon led strips reliable light source without dark spot for interior or exterior use

NTHP7.2 & NTHP10 provides a continuous lighting 7.2W & 10W/meter and CRI90. Ideal for installation in slim profile or directly where applications requiring an uniform linear source without dark area.


- Replaces conventional light sources such as fluorescent, MR or PAR halogen lamps in work spaces, hallways and reception areas.
- Grazing light applications for walls, ceilings, frescos, statues. Enhances architectural motifs, volumes and textures.
- Create a decor or set a mood with the creation of a specific ambiance.
- Integrated task lighting, under cabinet lighting for studios or use it in merchandising showcases, shelving or in custom furniture projects.

#### Caracteristics:


- 338 diodes per metre
- 7.2W & 10W per metre / Voltage 24VDC only
- CRI: 90
- 5 meters/16'4" maximum lenght per circuit
- 130° degrees beam
- Lifespan 80,000 hours
- IP67 standard
- Operating temperatures: Min -40°C/+50°C Max.


You can apply directly on wood, plexiglas or other types of plastics and glass surfaces.

Led are dimmable, PWM, 0-10V or DMX









#### **Linear Source Dimensions:**

- 6 mm (0.24") wide and 10mm (0.39")
- Lenght: 5 meters (16.4') per roll
- Adhesive : 3M type on back
- Cut every 23.81mm (0.94") for both

#### endcap:





### Ordering Matrix / Specification





#### Natech Industrie